



भारत सरकार Government Of India
रेल मंत्रालय Ministry Of Railways
(रेलवे बोर्ड) (Railway Board)

सं. 2014/CEDO/SR/04

New Delhi, Dated 20.10.2014

**The General Managers,
All Indian Railways.**

विषय : Movement of Over Dimensional Consignments (ODCs) on Indian Railways.

संदर्भ : North Central Railway's letter no. Mech./750/Part-II, dated 09.7.14.

1. Movement of Over Dimensional Consignments (ODCs) on Indian Railways is done in terms of Railway Board's letters no. 70/WDO/ODC/1, dated 05.4.1970, no. 81/WDO/ODC/1, dated 29.4.1981, no. 82/WDO/ODC/1, dated 14.9.1982 and Chapter VI of Operating Manual - 2008. Extract of the operating portions is as under :

"Classification of ODC : ODCs are divided into 3 classes according to the minimum clearance available between the consignment and minimum fixed structure profile.

Class 'A' : Those ODC loads, which have gross clearance of 22.86 cm (9") and above.


Class 'B' : Those ODC loads, which have gross clearance of 15.24 cm (6") and above, but less than 22.86 cm (9"),

Class 'C' : Those ODC loads, which have gross clearance of less than 15.24 cm (6"), but not less than 10.16 cm (4")."

Class	Sanctioning Authority	Maximum Permissible Sanctioned Speed	Movement During Day or Night	Required to be Escorted By
'A'	Within Division : DRM Inter Division of the same zone : COM Inter Railway : COM of the Zone and COM of concerned Railway	Sectional Speed	Day & Night	—
'B'	Local : DRM Inter Division / Foreign Railway : COM	BG - 40 kmph MG - 25 kmph NG - 15 kmph	Day & Night	TXR
'C'	CRS	BG - 25 kmph MG - 25 kmph NG - 15 kmph	Day	SSE (C&W), SSE (P.Way) & TI

2. The class of ODC has been defined w.r.t. 'the minimum clearance available between the consignment and the minimum fixed structure profile' on the section. Therefore, main concern is the above referred clearance and accordingly, speeds and escorting requirements have been prescribed for the three classes of ODCs.

3. Thus, ODC of a particular class (A, B or C) in a particular section can be ODC of other class (A, B or C) in other sections of Indian Railways and, therefore, the authority for sanction, maximum permissible speed and the required escorting by Railway personnel also gets changed accordingly.
4. The subject matter has further been examined in Board and it has been considered appropriate that Class of ODC shall be decided for each block section or set of such block sections, based on clearance between the consignment and the fixed structure profile, as available in that block section.
5. Thus, the ODCs shall move at restricted speed alongwith related escort provisions for 'B' class or 'C' class ODCs only at such few block sections, where it is categorized as 'B' class or 'C' class and for remaining block sections or sections, such ODCs may be permitted to run at sectional speed as per requirement for 'A' class ODCs, where clearance between the consignment and the fixed structure profile is 22.86 cm (9") and above.
6. This issue with the approval of Board (MT, MM, ML and ME).


(आलोक कुमार) 26/12/14

कार्यकारी निदेशक/सिविल इंजीनियरिंग(जी)/रेलवे बोर्ड
[Phone : 030-44803 (Rly.); 011-23383379 (MTNL); 09910487302 (CUG Mobile)]
e-mail address : edceg@rb.railnet.gov.in

Copy forwarded for information to :

- (i) Sr.PPS to MT, MM, ML & ME for information of MT, MM, ML & ME please.
- (ii) The Chief Commissioner of Railway Safety, Compound of DRM/NER, Ashok Marg, Lucknow - 226001.
- (iii) The Commissioners of Railway Safety, All Circles.
- (iv) The Director General, RDSO, Manak Nagar, Lucknow.
- (v) PCEs, CAOs(C), COMs, CEEs, CMEs and CSOs of all Indian Railways.
- (vi) Adv./Safety, EDCE(P), EDCE/B&S-I, ED/TK(P), ED/TT(S) and ED/TT(M), Railway Board, New Delhi.